



Stainless Steel Y-type angle seat Valve

We supply Stainless Steel Y-type angle seat Valve. The HISPEED® Stainless Steel Y-type angle seat Valves are designed and manufactured to provide maximum service life and dependability. The HISPEED® Stainless Steel Y-type angle seat Valve may be used in commercial and industrial applications, including Beer drink, Printing and dyeing, Air separation, Pharmaceutical, Filling, Chemical

industry, Sterilization, Foam equipment Environmental protection etc. Choose HISPEED® Stainless Steel Y-type angle seat Valves for the most specified, versatile and economical valve option in commercial, mechanical and industrial applications. We are expecting to become your long term partner in China.

Product Description


You are welcomed to come to our factory to buy the latest selling, low price, and high-quality Hispeed® Stainless Steel Y-type angle seat Valve. We look forward to cooperating with you.

The HISPEED® Stainless Steel Y-type angle seat Valves are designed and manufactured to provide maximum service life and dependability. The HISPEED® Stainless Steel Y-type angle seat Valve may be used in commercial and industrial applications, including Beer drink, Printing and dyeing, Air separation, Pharmaceutical, Filling, Chemical industry, Sterilization, Foam equipment, Environmental protection etc. Choose HISPEED® Stainless Steel Y-type angle seat Valves for the most specified, versatile and economical valve option in commercial, mechanical and industrial applications. We are expecting to become your long term partner in China.

With our superb management, potent technical capability and strict quality command procedure, we go on to provide our shoppers with trustworthy high-quality, reasonable costs and outstanding services. We goal at becoming considered one of your most trustworthy partners and earning your pleasure for Hot Selling for China Industrial Flange Cast Iron & Forged Stainless Steel Globe Valve, Welcome all nice customers communicate details of products and solutions and ideas with us!! Hot Selling for China Globe Valve, Pressure Seal Globe Valve, We focus on providing service for our clients as a key element in strengthening our long-term relationships. Our continual availability of high grade solutions in combination with our excellent pre-sale and after-sales service ensures strong competitiveness in an increasingly globalized market.


Product Parameter (Specification)

Plastic head actuator



Size								
Size	Actuator (mm)	D	A	B	C	ΦE	F	G
DN15	50	ZG1/2"	85	173	12	64	44	112
DN20	50	ZG3/4"	95	178	12	64	44	112
DN25	63	ZG1"	105	212	14	80	52	120
DN32	63	ZG1 1/4"	118	236	16	80	52	120
DN40	63	ZG1 1/2"	130	230	18	80	52	120
DN50	80	ZG2"	150	238	20	100	52	120
DN65	100	ZG2 1/2"	155	252	26	126	73	140
DN80	100	ZG3"	220	368	30	126	73	140

Stainless steel head actuator



Size	Actuator (mm)	D	R	P	G	H	L	L1
DN15	50	62	33.5	ZG1/8"	ZG1/2"	126	133	68
DN20	50	62	33.5	ZG1/8"	ZG3/4"	131	137	75
DN25	63	76	42	ZG1/8"	ZG1"	165	174	90
DN32	63	76	42	ZG1/8"	ZG1 1/4"	175	188	110
DN40	63	76	42	ZG1/8"	ZG1 1/2"	178	190	115
DN50	80	96	52	ZG1/8"	ZG2"	195	205	135

Product Feature And Application

Large flux, low resistance, no water hammer

Y-type design, increase 30% flow

Long life

Valve stem automatic correction, self-lubricating, maintenance-free

The cylinder is made of stainless steel, which is more excellent in harsh environments and can be rotated 360°.

Product Details

Fluid Pressure: Max 16bar (232psi)

Control Pressure: 3-8bar (43.5-116psi)

Control Fluid: clean compressed air or neutral gas

Body Material: CF8M/CF8

Seals Material: PTFE

Actuator Material: CF8 (40mm-90mm cylinder), AL (90mm-125mm cylinder)

Actuator Size: 40mm, 50mm, 63mm, 90mm, 125mm

Applicable Fluid: water, alcohol, oil, fuel, steam, neutral gas or liquid Organic solvent, acid-base solution

Fluid Viscosity: Max 600mm²/s

Fluid Temperature: -10°C - +180°C (PTFE normal temperature type)

+25°C- +220°C (PTFE high temperature type)

Ambient Temperature: -10°C - +80°C

Control Type: single acting normally closed, normally open, double acting normally closed, double acting free state

Connection: threaded, welded, flanged, quick-fit

Leakage rating: DIN EN 12266 Class A

Deliver,Shipping And Serving

Ship from Qingdao or another Seaports

FAQ

	Q	A
1	How many days you need to install the equipment?	Unwanted.
2	How many staff abroad you sent to install the equipment?	Unwanted.
3	Can I transfer the money to you then you pay to other supplier?	YES.
4	Can I delivery the goods from other supplier to your factory? Then load together?	YES.
5	When will you leave your factory and to have your spring festival holidays?	According to national regulations.
6	Can the equipment be installed under hot weather?	YES.
7	Can Your products be installed under the cold weather?	YES.
8	Do You have office in shanghai or guangzhou that i can visit?	NONE.
9	Can you send your staff to install the equipment for us?	Unwanted.
10	Can I only buy some spare parts from you?	YES.
11	Will you will attend the fair to show your products?	YES.
12	Can you send your equipment to my warehouse in guangzhou?	YES.
13	How long it takes you to provide	3 days at most.

	the designing options for us?	
14	What is your products standardization?	AWWA BS AIP WRAS FM.
15	How do you pack the equipment?	Negotiate with the customer.
16	Can you can design the equipment according to our size?	YES.
17	How many years have your company made this kind of equipment?	5 years.
18	Which certificate do you have for your equipment?	FM.
19	How many staffs do you have in your factory?	200
20	Do you have any agent in our country?	NONE.
21	Do you have any real project pictures of the equipment?	YES.
22	How far is your factory from the city hotel?	10 km.
23	How far is your factory from the airport?	10 km.
24	How long it will take from guangzhou to your factory?	5 hours.
25	Where is your factory located?	Weifang City,Shandong province.
26	Do you provide free spare parts?	It depends.
27	What is the age range for your products?	Everyone.
28	Do you have detailed and professional installation manual?	YES.
29	If OEM is acceptable?	YES.
30	Do you provide sample? Free or charge?	It depends.
31	What is your term of payment?	30% payment in advance, 70% paid before

		shipment.
32	What is your MOQ?	One container.
33	Are you a trading company or a manufacturer?	Trade and Industry combination group company.
34	How long is your delivery time?	25-40 days.